

## Prijslijst Solara/Solarben / 2024

| Article No.:                    | Manufacturer No.: |  | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|---------------------------------|-------------------|--|---------------------|---------------|-----------------|----------------------|--------------|--|
| <b>Solar modules with frame</b> |                   |  |                     |               |                 |                      |              |  |

### DCsolar solar modules

#### EcoLux Series

##### aluminium frame, 39/42 solar cells, compact size

|            |           |                                            |                |         |         |          |        |  |
|------------|-----------|--------------------------------------------|----------------|---------|---------|----------|--------|--|
| 619075301  | E300M39   | 75 Watt, 12V, MC4 connector, frame silver  | 630x660x35 mm  | 5,00 kg | 7,00 kg | 85414300 | 133.61 |  |
| 619075302  | E300M39   | amounts 25 pcs and more in one go          |                |         |         |          |        |  |
| 619110101S | E440M42/S | 110 Watt, 12V, MC4 connector, frame silver | 1065x550x35 mm | 7,20 kg | 9,20 kg | 85414300 | 175.63 |  |
| 619190301  | E760M36   | 190 Watt, 12V, MC4 connector, frame silver | 1500x680x35 mm |         |         | 85414300 | 310.08 |  |

#### EcoLux HV-Series

##### aluminium frame, 44 or 72 solar cells, high voltage

|            |         |                                                         |                |          |          |          |        |  |
|------------|---------|---------------------------------------------------------|----------------|----------|----------|----------|--------|--|
| 619100100  | E440M44 | 100 Watt, MC4 connector, High Voltage, frame black      | 1410x400x35 mm | 7,40 kg  | 9,20 kg  | 85414300 | 175.63 |  |
| 619110102S | E480M72 | 110 Watt, 24V, MC4 connector, High Voltage, frame black | 1065x550x35 mm | 7,20 kg  | 9,20 kg  | 85414300 | 184.03 |  |
| 619190305  | E835M72 | 190 Watt, 24V, MC4 connector, High Voltage, frame black | 1500x680x36 mm | 10,50 kg | 13,50 kg | 85414300 | 318.49 |  |

#### Power E-Series

##### aluminium frame, Sunpower solar cell, **sale out only while supply last**

|           |         |                                           |               |         |         |          |  |  |
|-----------|---------|-------------------------------------------|---------------|---------|---------|----------|--|--|
| 619080302 | E320M64 | 80 Watt, MC4 connector, 12V, frame silver | 725x535x35 mm | 5,80 kg | 6,90 kg | 85414300 |  |  |
|-----------|---------|-------------------------------------------|---------------|---------|---------|----------|--|--|

### SOLARA® solar modules

#### S-SERIES

##### black frame, MC4 connectors

|           |         |                                        |                |         |          |          |        |  |
|-----------|---------|----------------------------------------|----------------|---------|----------|----------|--------|--|
| 611100101 | S400M36 | 100 Watt, frame black, Made in Germany | 1500x350x35 mm | 7,90 kg | 10,10 kg | 85414300 | 335.29 |  |
| 611120104 | S480M45 | 120 Watt, frame black, Made in Germany | 1250x550x35 mm | 6,60 kg | 9,60 kg  | 85414300 | 310.08 |  |
| 611190102 | S760M36 | 190 Watt, frame black, Made in Germany | 1500x680x35 mm | 9,50 kg | 13,00 kg | 85414300 | 377.31 |  |

#### VISION S-SERIES

##### black frame, MC4 connectors, very robust and walkable due to glass/glass construction

|           |                |                                                     |                |         |          |          |        |  |
|-----------|----------------|-----------------------------------------------------|----------------|---------|----------|----------|--------|--|
| 61V110102 | S450M42 Vision | 110 Watt, glass/glass, frame black, Made in Germany | 1250x550x35 mm | 9,40 kg | 13,20 kg | 85414300 | 352.10 |  |
| 61V190102 | S770M36 Vision | 190 Watt, glass/glass, frame black, Made in Germany | 1500x680x35 mm | 15,0 kg | 19,70 kg | 85414300 | 419.33 |  |
| 61V190102 | S770M36 Vision | amounts 50 pcs and more in one go                   |                |         |          |          |        |  |

#### POWER S-SERIES

##### black frame, MC4 connectors, black mono crystalline Sunpower solar cells

|           |         |                                               |                |         |          |          |        |  |
|-----------|---------|-----------------------------------------------|----------------|---------|----------|----------|--------|--|
| 611125301 | S555M36 | 125 Watt, 12V, SunPower cell, Made in Germany | 1250x550x35 mm | 6,60 kg | 9,60 kg  | 85414300 | 578.99 |  |
| 611160301 | S705M44 | 160 Watt, 12V, SunPower cell, Made in Germany | 1500x550x35 mm | 9,50 kg | 12,50 kg | 85414300 | 671.43 |  |

## Prijslijst Solara/Solarben / 2024

| Article No.: | Manufacturer No.: |  | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|--------------|-------------------|--|---------------------|---------------|-----------------|----------------------|--------------|--|
|--------------|-------------------|--|---------------------|---------------|-----------------|----------------------|--------------|--|

### Semi flexible solar modules

### DC solar solar modules

#### Power Flex

semi flexible, walkable, no glass

|           |              |                                    |               |         |         |          |        |  |
|-----------|--------------|------------------------------------|---------------|---------|---------|----------|--------|--|
| 619110315 | E485M31 Flex | 110 Watt, 12V, cable outlet on top | 1100x540x4 mm | 4,10 kg | 5,00 kg | 85414300 | 394.12 |  |
| 619120308 | E525M34 flex | 120 Watt, 12V, cable outlet on top | 990x660x4 mm  | 4,30 kg | 5,20 kg | 85414300 | 419.33 |  |
| 619140304 | E615M39 flex | 140 Watt, 12V, cable outlet on top | 1375x540x4 mm | 4,80 kg | 5,70 kg | 85414300 | 444.54 |  |

#### Power Move

portable, foldable, mono crystalline solar cell, 5m connection cable

|           |                |                                                                |                |         |         |          |        |  |
|-----------|----------------|----------------------------------------------------------------|----------------|---------|---------|----------|--------|--|
| 651120317 | E480M108       | 120Watt, 3x foldable, module only                              | 1567x520x35 mm | 4,60 kg | 5,70 kg | 85414300 | 394.12 |  |
| 651120316 | Set-Power Move | incl. module E480M108 Move and cable charge controller Fox-062 | 1567x520x35 mm | 4,70 kg | 5,80 kg | 85414300 | 419.33 |  |

#### OBD-2 Battery trickle charger

with OBD-II plug, small, lightweight, integrated regulator, 1,5m cable, plug and play solution

|           |       |                               |              |         |         |          |       |  |
|-----------|-------|-------------------------------|--------------|---------|---------|----------|-------|--|
| 619013301 | E52M8 | 13Watt, 12V, OBD-2 compatible | 350x252x4 mm | 0,58 kg | 1,00 kg | 85414300 | 67.14 |  |
|-----------|-------|-------------------------------|--------------|---------|---------|----------|-------|--|

### SOLARA® semi flexible solar modules

#### POWER M-SERIES

semi-flexible, no glass, based on aluminium-sandwich-plate, black back sheet, black mono crystalline Sunpower solar cells

|           |           |                                                  |               |         |         |          |        |  |
|-----------|-----------|--------------------------------------------------|---------------|---------|---------|----------|--------|--|
| 618115307 | S515M31   | 115Watt, 12V, marine grade, cable outlet on top  | 1120x545x4 mm | 3,60 kg | 4,60 kg | 85414300 | 721.85 |  |
| 618115308 | S515M31/S | same as above, cable outlet on backside          | 1120x545x4 mm | 3,60 kg | 4,60 kg | 85414300 | 721.85 |  |
| 618125301 | S555M34   | 125 Watt, 12V, marine grade, cable outlet on top | 990x660x4 mm  | 4,20 kg | 6,30 kg | 85414300 | 797.48 |  |
| 618125302 | S555M34/S | same as above, cable outlet on backside          | 990x660x4 mm  | 4,20 kg | 6,30 kg | 85414300 | 797.48 |  |
| 618130301 | S575M35   | 130 Watt, 12V, marine grade, cable outlet on top | 1250x545x4 mm | 4,40 kg | 6,40 kg | 85414300 | 805.88 |  |
| 618130302 | S575M35/S | same as above, cable outlet on backside          | 1250x545x4 mm | 4,40 kg | 6,40 kg | 85414300 | 805.88 |  |
| 618160301 | S705M43   | 160 Watt, 12V, marine grade, cable outlet on top | 1510x545x4 mm | 5,20 kg | 7,60 kg | 85414300 | 931.93 |  |
| 618160302 | S705M43/S | same as above, cable outlet on backside          | 1510x545x4 mm | 5,20 kg | 7,60 kg | 85414300 | 931.93 |  |

#### M-SERIES

semi-flexible, no glass, based on aluminium-sandwich-plate, mono crystalline solar cells

|           |               |                                                  |              |         |         |          |        |  |
|-----------|---------------|--------------------------------------------------|--------------|---------|---------|----------|--------|--|
| 618015101 | S50M36        | 15 Watt, 12V, marine grade, cable outlet on top  | 431x243x4 mm | 0,70 kg | 1,90 kg | 85414300 | 259.66 |  |
| 618035101 | S140M42       | 35 Watt, 12V, marine grade, cable outlet on top  | 464x481x4 mm | 1,50 kg | 2,70 kg | 85414300 | 352.10 |  |
| 618050106 | S200M43       | 50 Watt, 12V, marine grade, cable outlet on top  | 654x481x4 mm | 2,00 kg | 3,20 kg | 85414300 | 427.73 |  |
| 618070101 | S280M43       | 70 Watt, 12V, marine grade, cable outlet on top  | 844x481x4 mm | 2,60 kg | 3,80 kg | 85414300 | 553.78 |  |
| 618100101 | S400M41       | 100 Watt, 12V, marine grade, cable outlet on top | 798x695x4 mm | 3,50 kg | 4,70 kg | 85414300 | 686.24 |  |
| 638000008 | SM/Zellschutz | Cell protector for M-Series modules, spare part  | 88x35x25 mm  | 0,05 kg | 0,05 kg | 85415000 | 21.76  |  |

#### POWER MOBIL

textile bordure, foldable, portable, semi-flexible, with Backcontact solar cells, 5m connection cable

|           |                 |                                                                |               |         |         |          |        |  |
|-----------|-----------------|----------------------------------------------------------------|---------------|---------|---------|----------|--------|--|
| 618120307 | S525M32 mobil   | 120 Watt, 12V, design as M-Series                              | 1342x628x6 mm | 5,50 kg | 7,60 kg | 85414300 | 805.88 |  |
| 618120308 | Set-Power Mobil | incl. Module S525M32 mobil and cable charge controller Fox-062 | 1342x628x6 mm | 6,00 kg | 8,60 kg | 85414300 | 839.50 |  |

#### Accessories for Power-Mobil module

|           |                       |                                                                               |                    |         |         |          |        |  |
|-----------|-----------------------|-------------------------------------------------------------------------------|--------------------|---------|---------|----------|--------|--|
| 668010001 | FOX-062               | Cable regulator 6A, up to 110Wp, 12V                                          | xxx                | 0,08 kg | 0,50 kg | 90328900 | 64.62  |  |
| 649000008 | DC-Connect-V          | Extension cable 5m, 2x1.5qmm, with SureSeal plug                              | xxx                | 1,20 kg | 1,20 kg | 85444290 | 41.93  |  |
| various   | Isolating blinds      | windshield blinds for S485M32 and VW T5/T6, Ducato, Sprinter, Vito            | 1775x1020x16 mm    | 5,50 kg | 7,60 kg |          | 268.07 |  |
| 651000011 | Binder-Connection-Set | Connectionset with Binder-plug, -socket incl. lid                             | xxx                | 0,04 kg | 0,04 kg | 85369010 | 38.57  |  |
| 651000013 | Binder-DD-Set         | Grommet with Binder-plug, -socket incl. lid                                   | xxx                | 0,06 kg | 0,06 kg | 85369010 | 38.57  |  |
| 651000012 | Eyelet-Set            | 10 pcs eyelets and hole punch                                                 | xxx                | 0,07 kg | 0,07 kg | 39269097 | 18.40  |  |
| 649000000 | Loxx- button set      | 5 pcs for textile bordure on S485M32                                          | xxx                | 0,05 kg | 0,05 kg | 83021000 | 28.49  |  |
| 651000015 | Magnet set Metal      | Magnet set for metallic surfaces, rubberized magnet to hang up mobile modules | set with 2 magnets | 0,09 kg | 0,20 kg |          | 23.45  |  |
| 651000016 | Magnet set Canvas     | Magnet set for canvas, two-piece set, rubberized magnet and counterplate      | 2 magnets 2 plates | 0,15 kg | 0,25 kg |          | 26.81  |  |

## Prijslijst Solara/Solarben / 2024

| Article No.:          | Manufacturer No.: |  | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|-----------------------|-------------------|--|---------------------|---------------|-----------------|----------------------|--------------|--|
| <b>Full solutions</b> |                   |  |                     |               |                 |                      |              |  |

### DCsolar complete sets

#### Power Set/MPPT HV

**incl. solar module Ecolux HV-Series, charge controller Victron MPPT, connection cable, mounting spoiler set aluminum & roof grommet black, adhesive**

|           |          |                                                                    |                |          |          |          |         |  |
|-----------|----------|--------------------------------------------------------------------|----------------|----------|----------|----------|---------|--|
| 651110340 | PSMHV 01 | incl. DCsolar module E480M72, 110W, controller MPPT 15A with BT    | 1065x550x35 mm | 14,20 kg | 17,20 kg | 85414300 | 469.75  |  |
| 651190306 | PSMHV 02 | incl. DCsolar module E835M72, 190W, controller MPPT 15A with BT    | 1500x680x35 mm | 18,20 kg | 21,80 kg | 85414300 | 562.18  |  |
| 651220348 | PSMHV 03 | incl. 2x DCsolar module E480M72, 220W, controller MPPT 15A with BT | 1065x550x35 mm | 26,10 kg | 31,10 kg | 85414300 | 705.04  |  |
| 651380305 | PSMHV 04 | incl. 2x DCsolar module E835M72, 380W, controller MPPT 30A with BT | 1500x680x35 mm | 34,70 kg | 42,70 kg | 85414300 | 1032.77 |  |

#### Power Set/MPPT EBL HV

**incl. solar module Ecolux HV-Series, charge controller Votronic MPPT, connection cable, mounting spoiler set aluminum &, roof grommet black, adhesive**

|           |          |                                                              |                |          |          |          |        |  |
|-----------|----------|--------------------------------------------------------------|----------------|----------|----------|----------|--------|--|
| 651110341 | PSEHV 01 | incl. DCsolar module E480M72, 110W, controller MPPT 260CI    | 1065x550x35 mm | 14,20 kg | 17,20 kg | 85414300 | 646.22 |  |
| 651190307 | PSEHV 02 | incl. DCsolar module E835M72, 190W, controller MPPT 260CI    | 1500x680x35 mm | 18,20 kg | 21,80 kg | 85414300 | 730.25 |  |
| 651220349 | PSEHV 03 | incl. 2x DCsolar module E480M72, 220W, controller MPPT 260CI | 1065x550x35 mm | 26,10 kg | 31,10 kg | 85414300 | 873.11 |  |

#### Power Set/EBL

**incl. solar module Ecolux Series, Votronic DuoDigital, EBL-cable, connection cable, mounting spoiler set aluminum silver, roof grommet white, adhesive**

|           |        |                                                                  |                |          |          |          |        |  |
|-----------|--------|------------------------------------------------------------------|----------------|----------|----------|----------|--------|--|
| 651110342 | PSE 01 | incl. DCsolar module E440M42/S, 110W, Regler DuoDigital SR230    | 1065x550x35 mm | 14,00 kg | 17,00 kg | 85414300 | 436.13 |  |
| 651190308 | PSE 02 | incl. DCsolar module E760M36, 190W, Regler DuoDigital SR230      | 1500x680x35 mm | 18,20 kg | 21,80 kg | 85414300 | 570.59 |  |
| 651220350 | PSE 03 | incl. 2x DCsolar module E440M42/S, 220W, Regler DuoDigital SR230 | 1065x550x35 mm | 25,80 kg | 30,80 kg | 85414300 | 671.43 |  |

#### Power Set/Profi

**incl. solar module Ecolux Series, charge controller Solara SR340E, connection cable, mounting spoiler set aluminum silver, roof grommet white, adhesive**

|           |        |                                         |                |          |          |          |        |  |
|-----------|--------|-----------------------------------------|----------------|----------|----------|----------|--------|--|
| 651110343 | PSP 01 | incl. DCsolar module E440M42/S, 110W    | 1065x550x35 mm | 13,70 kg | 16,70 kg | 85414300 | 368.91 |  |
| 651190309 | PSP 02 | incl. DCsolar module E760M36, 190W      | 1500x680x35 mm | 18,20 kg | 21,80 kg | 85414300 | 461.34 |  |
| 651220351 | PSP 03 | incl. 2x DCsolar module E440M42/S, 220W | 1065x550x35 mm | 25,50 kg | 30,50 kg | 85414300 | 587.39 |  |

### SOLARA® complete sets

#### POWER PACK

**incl. Solara module Power S-Series, charge controller Victron MPPT, connection cable, ABS mounting bracket & roof grommet black, adhesive**

|           |               |                                                                      |                |          |          |          |         |  |
|-----------|---------------|----------------------------------------------------------------------|----------------|----------|----------|----------|---------|--|
| 651125100 | Power Pack 01 | incl. Solara module S555M36, 125Watt, controller MPPT 15A with BT    | 1250x550x35 mm | 10,50 kg | 14,50 kg | 85414300 | 864.71  |  |
| 651160100 | Power Pack 02 | incl. Solara module S705M44, 160Watt, controller MPPT 15A with BT    | 1500x550x35 mm | 14,00 kg | 17,00 kg | 85414300 | 1015.97 |  |
| 651250100 | Power Pack 03 | incl. 2x Solara module S555M36, 250Watt, controller MPPT 20A with BT | 1250x550x35 mm | 19,75 kg | 23,93 kg | 85414300 | 1562.18 |  |
| 651320100 | Power Pack 04 | incl. 2x Solara module S705M44, 320Watt, controller MPPT 30A with BT | 1500x550x35 mm | 26,20 kg | 30,20 kg | 85414300 | 1873.11 |  |

#### PREMIUM PACK MPPT EBL

**incl. Solara S-Series module, Votronic charge controller MPPT, EBL-cable, connection cable, ABS mounting brackets & roof grommet black, adhesive**

|           |                 |                                                             |                |          |          |          |        |  |
|-----------|-----------------|-------------------------------------------------------------|----------------|----------|----------|----------|--------|--|
| 651120131 | Premium Pack 01 | incl. Solara module S480M45, 120W, controller MPPT 260CI    | 1250x550x35 mm | 9,80 kg  | 12,80 kg | 85414300 | 494.96 |  |
| 651190139 | Premium Pack 02 | incl. Solara module S760M36, 190W, controller MPPT 260CI    | 1500x680x35 mm | 12,90 kg | 16,50 kg | 85414300 | 528.57 |  |
| 651240120 | Premium Pack 03 | incl. 2x Solara module S480M36, 240W, controller MPPT 260CI | 1250x550x35 mm | 17,80 kg | 22,80 kg | 85414300 | 805.88 |  |
| 651380116 | Premium Pack 04 | incl. 2x Solara module S760M36, 380W, controller MPPT 440CI | 1500x680x35 mm | 23,95 kg | 31,90 kg | 85414300 | 915.13 |  |

#### PREMIUM PACK MPPT

**incl. Solara S-Series module, charge controller Victron MPPT, connection cable, ABS mounting brackets & roof grommet black, adhesive**

|           |                 |                                                                      |                |          |          |          |         |  |
|-----------|-----------------|----------------------------------------------------------------------|----------------|----------|----------|----------|---------|--|
| 651120132 | Premium Pack 05 | incl. Solara module S480M45, 120Watt, controller MPPT 15A with BT    | 1250x550x35 mm | 9,80 kg  | 12,80 kg | 85414300 | 528.57  |  |
| 651190140 | Premium Pack 06 | incl. Solara module S760M36, 190Watt, controller MPPT 15A with BT    | 1500x680x35 mm | 12,90 kg | 16,50 kg | 85414300 | 570.59  |  |
| 651240121 | Premium Pack 07 | incl. 2x Solara module S480M45, 240Watt, controller MPPT 20A with BT | 1250x550x35 mm | 17,80 kg | 22,80 kg | 85414300 | 856.30  |  |
| 651380117 | Premium Pack 08 | incl. 2x Solara module S760M36, 380Watt, controller MPPT 30A with BT | 1500x680x35 mm | 23,95 kg | 31,90 kg | 85414300 | 1032.77 |  |

#### PROFI PACK

**incl. Solara S-Series module, Solara charge controller SR340E, connection cable, ABS mounting brackets & roof grommet black, adhesive**

|           |               |                                      |                |          |          |          |        |  |
|-----------|---------------|--------------------------------------|----------------|----------|----------|----------|--------|--|
| 651120133 | Profi Pack 01 | incl. Solara module S480M45, 120W    | 1250x550x35 mm | 9,80 kg  | 12,80 kg | 85414300 | 410.92 |  |
| 651190141 | Profi Pack 02 | incl. Solara module S760M36, 190W    | 1500x680x35 mm | 12,90 kg | 16,50 kg | 85414300 | 461.34 |  |
| 651240122 | Profi Pack 03 | incl. 2x Solara module S480M45, 240W | 1250x550x35 mm | 17,80 kg | 22,80 kg | 85414300 | 705.04 |  |

## Prijslijst Solara/Solarben / 2024

| Article No.:                                                           | Manufacturer No.:    |                                                                        | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------|---------------------|---------------|-----------------|----------------------|--------------|--|
| <b>SOLARA® mounting solutions</b>                                      |                      |                                                                        |                     |               |                 |                      |              |  |
| <b>SOLARA grommets and deck seals</b>                                  |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000401                                                              | DD1/W                | Roof grommet with one inlet, incl. PG-gland                            | 120x75x40 mm        | 0,05 kg       | 0,05 kg         | 39269097             | 16,72        |  |
| 639000401                                                              | DD1/W 10er           | Roof grommet at a purchase quantity of 10 pcs                          |                     |               |                 | 39269097             | 16,72        |  |
| 639000402                                                              | DD2/W                | Roof grommet with two inlets, incl. PG-gland                           | 120x117x40 mm       | 0,10 kg       | 0,10 kg         | 39269097             | 19,24        |  |
| 639000402                                                              | DD2/W 10er           | Roof grommet at a purchase quantity of 10 pcs                          |                     |               |                 | 39269097             | 19,24        |  |
| 639000440N                                                             | DD1/black            | Roof grommet with one inlet, incl. PG-gland, black                     | 112x80x35 mm        | 0,04 kg       | 0,06 kg         | 39269097             | 16,72        |  |
| 639000440N                                                             | DD1/black 10er       | Roof grommet at a purchase quantity of 10 pcs                          |                     |               |                 | 39269097             | 16,72        |  |
| 639000436                                                              | DD2/black            | Roof grommet with two inlets, incl. PG-gland, black                    | 120x117x40 mm       | 0,10 kg       | 0,10 kg         | 39269097             | 20,08        |  |
| 639000436                                                              | DD2/black 10er       | Roof grommet at a purchase quantity of 10 pcs                          |                     |               |                 | 39269097             | 20,08        |  |
| 639000441                                                              | Scanstrut DS-H10     | Scanstrut DS-H10 deck seal with one inlet, 6-10mm cable diameter       | 77,5x44,5x27 mm     | 0,05 kg       | 0,20 kg         | 40169300             | 28,49        |  |
| 639000488                                                              | Scanstrut DS-H10     | Scanstrut DS-H10 same as above, color black                            | 77,5x44,5x27 mm     | 0,05 kg       | 0,20 kg         | 40169300             | 28,49        |  |
| 639000498                                                              | Scanstrut DS-HD10    | Scanstrut DS-HD10 Durchführung, zwei Eingänge, 6-10mm Kabeldurchmesser | 75x66,5x28,5 mm     |               |                 | 40169300             | 38,57        |  |
| 639000459                                                              | Scanstrut DS-H6      | Scanstrut DS-H6 deck seal with one inlet, 2-6mm cable diameter         | 46x28,5x20 mm       | 0,05 kg       | 0,15 kg         | 40169300             | 22,61        |  |
| 639000489                                                              | Scanstrut DS-HD6     | Scanstrut DS-HD6 deck seal with double inlet, 2-6mm cable diameter     | 63x54x22 mm         | 0,1 kg        | 0,25 kg         | 40169300             | 30,17        |  |
| 639000460                                                              | Scanstrut DS-Multi   | Scanstrut DS-Multi, deck seal for var. Cable up to 15mm cable diameter | 99x47,5x17 mm       | 0,10 kg       | 0,30 kg         | 40169300             | 67,14        |  |
| <b>SOLARA mounting spoiler, ABS plastics, color white</b>              |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000403                                                              | HS35/W               | Spoiler, lenght 35cm, set with 2 pieces                                | 400x130x60 mm       | 0,70 kg       | 0,90 kg         | 39269097             | 50,34        |  |
| 639000404                                                              | HS45/W               | Spoiler, lenght 45m, set with 2 pieces                                 | 500x130x60 mm       | 0,90 kg       | 1,00 kg         | 39269097             | 57,06        |  |
| 639000405                                                              | HS55/W               | Spoiler, lenght 55cm, set with 2 pieces                                | 600x130x60 mm       | 1,00 kg       | 1,20 kg         | 39269097             | 58,74        |  |
| 639000406                                                              | HS68/W               | Spoiler, lenght 68cm, set with 2 pieces                                | 720x130x60 mm       | 1,20 kg       | 1,50 kg         | 39269097             | 64,62        |  |
| 639000407                                                              | HSE/W                | Edge mounting bracket, set with 4 pieces                               | 190x190x60 mm       | 1,10 kg       | 1,30 kg         | 39269097             | 75,55        |  |
| 639000408                                                              | HSV/W                | Connecting profile, lenght 25cm, set with 2 pieces                     | 300x130x50 mm       | 0,50 kg       | 0,70 kg         | 39269097             | 37,73        |  |
| <b>SOLARA mounting spoiler, ABS plastics, color black</b>              |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000425                                                              | HS55/SW              | Spoiler, lenght 55cm, set with 2 pieces, color black                   | 600x130x60 mm       | 1,00 kg       | 1,20 kg         | 39269097             | 62,94        |  |
| 639000485                                                              | HS68/SW              | Spoiler, lenght 68cm, set with 2 pieces, color black                   | 720x130x60 mm       | 1,20 kg       | 1,50 kg         | 39269097             | 69,66        |  |
| 639000492                                                              | HSE/SW               | Edge mounting bracket, set with 4 pieces, color black                  | 190x190x60 mm       | 1,10 kg       | 1,30 kg         | 39269097             | 75,55        |  |
| 639000490                                                              | HSV/SW               | Connecting profile, lenght 25cm, set with 2 pieces, color black        | 300x130x50 mm       | 0,50 kg       | 0,70 kg         | 39269097             | 37,73        |  |
| <b>SOLARA mounting brackets, aluminum, color silver/black anodized</b> |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000470                                                              | AS527/schwarz        | Spoiler, lenght 52,7cm, set with 2 pieces, black                       | 527x70x95 mm        | 1,32 kg       | 2,00 kg         | 76042100             | 49,50        |  |
| 639000471                                                              | AS527/silber         | Spoiler, lenght 52,7cm, set with 2 pieces, silver                      | 527x70x95 mm        | 1,32 kg       | 2,00 kg         | 76042100             | 49,50        |  |
| 639000472                                                              | AS550/schwarz        | Spoiler, lenght 55,0cm, set with 2 pieces, black                       | 550x70x95 mm        | 1,38 kg       | 2,10 kg         | 76042100             | 50,34        |  |
| 639000473                                                              | AS550/silber         | Spoiler, lenght 55,0cm, set with 2 pieces, silver                      | 550x70x95 mm        | 1,38 kg       | 2,10 kg         | 76042100             | 50,34        |  |
| 639000486                                                              | AS680/schwarz        | Spoiler, lenght 68,0cm, set with 2 pieces, black                       | 680x70x95 mm        | 1,70 kg       | 2,30 kg         | 76042100             | 58,74        |  |
| 639000474                                                              | AS680/silber         | Spoiler, lenght 68,0cm, set with 2 pieces, silver                      | 680x70x95 mm        | 1,70 kg       | 2,30 kg         | 76042100             | 58,74        |  |
| <b>SOLARA mounting brackets aluminum</b>                               |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000502                                                              | HSP                  | 4 aluminium brackets, incl. screws, silver                             | 150x120x75 mm       | 1,00 kg       | 1,50 kg         | 76109090             | 33,53        |  |
| 639000505                                                              | HSP/sw               | 4 aluminium brackets, incl. screws, black powder coated                | 150x120x75 mm       | 1,00 kg       | 1,50 kg         | 76109090             | 46,97        |  |
| 639000503                                                              | HSP400               | 6 aluminium brackets, incl. screws, silver                             | 150x120x75 mm       | 1,50 kg       | 2,00 kg         | 76109090             | 49,50        |  |
| 639000506                                                              | HSP400/sw            | 6 aluminium brackets, incl. screws, black powder coated                | 150x120x75 mm       | 1,50 kg       | 2,00 kg         | 76109090             | 62,10        |  |
| <b>SOLARA adhesive sets</b>                                            |                      |                                                                        |                     |               |                 |                      |              |  |
| 639000607                                                              | FixPack              | Adhesive set for ABS mounting brackets                                 | 240x120x50 mm       | 0,70 kg       | 0,70 kg         | 35061000             | 50,34        |  |
| 639000608                                                              | FixPack/cartridge    | Adhesive 290ml from FixPack, cartridge only                            | 290ml               | 0,50 kg       | 0,50 kg         | 32141010             | 27,65        |  |
| 639000611                                                              | FixPack black        | Adhesive set for ABS mounting brackets                                 | 240x120x50 mm       | 0,70 kg       | 0,70 kg         | 35061000             | 50,34        |  |
| 639000612                                                              | FixPack/cartridge bk | Adhesive 290ml from FixPack, cartridge only, black                     | 290ml               | 0,50 kg       | 0,50 kg         | 32141010             | 27,65        |  |
| <b>SOLARA connection cables</b>                                        |                      |                                                                        |                     |               |                 |                      |              |  |
| 649000028                                                              | DC-Connect-C 2,5/5   | DC-Connect-C module connection cable 2,5qmm / 5m / MC4                 | 5,0 m               | 1,20 kg       | 1,20 kg         | 85446010             | 33,53        |  |
| 649000052                                                              | DC-Connect-C 2,5/10  | DC-Connect-C module connection cable 2,5qmm / 10m / MC4                | 10,0 m              | 2,00 kg       | 2,00 kg         | 85446010             | 44,45        |  |
| 649000028A                                                             | DC-Connect-C 4/5     | DC-Connect-C module connection cable 4qmm / 5m / MC4                   | 5,0 m               | 1,30 kg       | 1,30 kg         | 85446010             | 37,73        |  |
| 649000029A                                                             | DC-Connect-C 4/10    | DC-Connect-C module connection cable 4qmm / 10m / MC4                  | 10,0 m              | 2,30 kg       | 2,30 kg         | 85446010             | 50,34        |  |
| 649000020                                                              | DC-Connect-B         | DC-Connect-B battery connection cable 6qmm / 1,5m                      | 1,5 m               | 0,70 kg       | 0,70 kg         | 85444290             | 29,33        |  |
| 651000006                                                              | DC-Connect-M-Set     | DC-Connect-M 2x module interconnection cable 4qmm / 2m / MC4           | 2 m                 | 0,70 kg       | 0,70 kg         | 85444290             | 19,24        |  |
| 651000005                                                              | MC4 Y-Set            | MC4 Y-Adapterset to connect two modules parallel, Plus+Minus           | xxx                 | 0,05 kg       | 0,05 kg         | 85359000             | 16,72        |  |
| 412500401                                                              | PV-Stick Set         | MC4 connector set (Plus & Minus), Weidmüller toolfree                  | xxx                 | 0,05 kg       | 0,05 kg         | 85359000             | 10,84        |  |

## Prijslijst Solara/Solarben / 2024

| Article No.:                     | Manufacturer No.: |                                                     | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|----------------------------------|-------------------|-----------------------------------------------------|---------------------|---------------|-----------------|----------------------|--------------|--|
| <b>SOLARA® charge controller</b> |                   |                                                     |                     |               |                 |                      |              |  |
| <b>SOLARA</b>                    |                   |                                                     |                     |               |                 |                      |              |  |
| 66P034004                        | SR340E            | 12/24V, 20A, 340W, LED indicators                   | 100x61x20 mm        | 0,16 kg       | 0,20 kg         | 90328900             | 50.34        |  |
| 66P006001                        | SR 60 UL          | 12V, 4A, 60Wp, LED (identical CM04-2.1)             | 57x71x27 mm         | 0,15 kg       | 0,25 kg         | 90328900             | 30.17        |  |
| 66P009001                        | SR 85 TL          | 12/24V, 5A, 90Wp, LVD, LED indicators               | 98x64x30 mm         | 0,20 kg       | 0,30 kg         | 90328900             | 41.93        |  |
| 66P018001                        | SR 175 TL         | 12/24V, 10A, 180Wp, LVD, LED indicators             | 98x64x30 mm         | 0,20 kg       | 0,30 kg         | 90328900             | 58.74        |  |
| 66P018002                        | SR180LCD          | 12/24V, 10A, 180Wp, LVD, LCD display                | 101x103x32 mm       | 0,17 kg       | 0,30 kg         | 90328900             | 88.15        |  |
| 66P035002                        | SR350LCD          | 12/24V, 20A, 360Wp, LVD, LCD display                | 101x103x32 mm       | 0,17 kg       | 0,30 kg         | 90328900             | 131.09       |  |
| 66P035003                        | SR350LCD DUO      | 12/24V, 20A, 360Wp, 2 battery circuits, LCD display | 101x103x32 mm       | 0,17 kg       | 0,30 kg         | 90328900             | 108.40       |  |

### more controller and displays

|                 |                      |                                                                                  |              |         |         |          |        |  |
|-----------------|----------------------|----------------------------------------------------------------------------------|--------------|---------|---------|----------|--------|--|
| <b>VOTRONIC</b> |                      |                                                                                  |              |         |         |          |        |  |
| 669015007       | SR 150 Duo Dig       | 12V, 150W, LED indicator                                                         | 131x40x70 mm | 0,15 kg | 0,50 kg | 85365019 | 77.31  |  |
| 669023001       | SR 230 Duo Dig       | 12V, 230W, LED indicator                                                         | 131x40x70 mm | 0,15 kg | 0,50 kg | 85365019 | 87.98  |  |
| 669035004       | SR 350 Duo Dig       | 12V, 350W, LED indicator                                                         | 131x40x70 mm | 0,15 kg | 0,50 kg | 85365019 | 104.79 |  |
| 669055001       | SR 550 Duo Dig       | 12V, 550W, LED indicator                                                         | 131x40x70 mm | 0,15 kg | 0,50 kg | 85365019 | 154.03 |  |
| 669017005       | MPP 170 CI           | 12V, 170W, MPPT charge regulation                                                | 131x40x70 mm | 0,19 kg | 0,50 kg | 85365019 | 118.57 |  |
| 669026001       | MPP 260 CI           | 12V, 260W, MPPT charge regulation                                                | 131x40x70 mm | 0,21 kg | 0,50 kg | 85365019 | 171.01 |  |
| 669036002       | MPP 360 CI           | 12V, 360W, MPPT charge regulation                                                | 131x40x70 mm | 0,21 kg | 0,50 kg | 85365019 | 195.29 |  |
| 669044003       | MPP 440 CI           | 12V, 440W, MPPT charge regulation                                                | 131x40x70 mm | 0,26 kg | 0,50 kg | 85365019 | 266.47 |  |
| 669000009       | LCD Solar-Computer S | Votronic LCD Solar-Computer S                                                    | 80x85x25 mm  | 0,55 kg | 0,70 kg | 90303900 | 92.02  |  |
| 669000010       | EBL adapter cabel    | Votronic EBL-adapter cable                                                       | xxx          | 0,01 kg | 0,01 kg | 85444290 | 13.70  |  |
| 669000011       | Temp. Sensor 825     | Votronic temperature sensor 825, 2m connection wire                              | 2m           | 0,01 kg | 0,01 kg | 90251920 | 19.24  |  |
| 669000012       | BT Connector S-BC    | Bluetooth Connector S-BS inkl. Energy Monitor App                                | 75x47x24 mm  | 0,04 kg | 0,04 kg | 90303100 | 127.65 |  |
| 669053001       | SR 530 Duo Dig       | 12V,33A, 530A, LED indicator, <b>sale out only while supplies last</b>           | 131x40x70 mm | 0,15 kg | 0,50 kg | 85365019 |        |  |
| 669025001       | MPP 250 Duo Dig.     | 12V, 15A, 250W, MPPT charge regulation, <b>sale out only while supplies last</b> | 131x40x70 mm | 0,21 kg | 0,50 kg | 85365019 |        |  |
| 669035001       | MPP 350 Duo Dig.     | 12V, 21A, 350W, MPPT charge regulation, <b>sale out only while supplies last</b> | 131x40x70 mm | 0,21 kg | 0,50 kg | 85365019 |        |  |

RRP price according to Votronic pricelist and may vary quarterly, date Q4/2023

### VICTRON MPPT charge controller and displays

|           |                   |                                                     |               |         |         |          |        |  |
|-----------|-------------------|-----------------------------------------------------|---------------|---------|---------|----------|--------|--|
| 669014001 | MPPT 75/10 Smart  | 12/24V, 10A, 145W, with Bluetooth                   | 100x113x40 mm | 0,50 kg | 0,60 kg | 85044060 | 105.00 |  |
| 669020004 | MPPT 75/15 Smart  | 12/24V, 15A, 220W, with Bluetooth                   | 100x113x40 mm | 0,50 kg | 0,60 kg | 85044060 | 113.00 |  |
| 669022001 | MPPT 100/15 Smart | 12/24V, 15A, 220W, with Bluetooth                   | 100x113x47 mm | 0,60 kg | 0,70 kg | 85044060 | 132.00 |  |
| 669029002 | MPPT 100/20 Smart | 12/24V/48V, 20A, 290W, with Bluetooth               | 100x113x50 mm | 0,65 kg | 0,80 kg | 85044060 | 151.00 |  |
| 669044002 | MPPT 100/30 Smart | 12/24V, 30A, 440W, with Bluetooth                   | 130x186x70 mm | 1,30 kg | 2,00 kg | 85044060 | 217.00 |  |
| 669070003 | MPPT 100/50 Smart | 12/24V, 50A, 700W, with Bluetooth                   | 130x186x70 mm | 1,30 kg | 2,00 kg | 85044060 | 312.00 |  |
| 669050003 | MPPT 150/35 Smart | 12/24V, 35A, with Bluetooth                         | 130x186x70 mm | 1,30 kg | 2,00 kg | 85044060 | 312.00 |  |
| 669065005 | MPPT 150/45 Smart | 12/24V, 45A, with Bluetooth                         | 130x186x70 mm | 1,30 kg | 2,00 kg | 85044060 | 369.00 |  |
| 669086004 | MPPT 150/60 Smart | 12/24V, 60A, with Bluetooth                         | 200x250x95 mm | 3,00 kg | 4,50 kg | 85044060 | 547.00 |  |
| 669000001 | BMV-700 silver    | Remote display, incl. shunt 500A/50mV               | 69x69x31 mm   | 0,30 kg | 0,50 kg | 85371098 | 138.00 |  |
| 669000004 | BMV-702 black     | Remote display incl. shunt 500A/50mV                | 65x65x30 mm   | 0,30 kg | 0,50 kg | 85371098 | 172.00 |  |
| 669000008 | BMV-712 Smart     | Remote display, incl. shunt 500A/50mV and Bluetooth | 69x69x31 mm   | 0,30 kg | 0,30 kg | 85176200 | 199.00 |  |

RRP price according to Victron pricelist and may vary quarterly, date Q4/2023

## Prijslijst Solara/Solarben / 2024

| Article No.:                              | Manufacturer No.: |                                                                        | Dimensions<br>LxWxH | Net<br>Weight | Gross<br>Weight | Custom tariff number | Net<br>Price |  |
|-------------------------------------------|-------------------|------------------------------------------------------------------------|---------------------|---------------|-----------------|----------------------|--------------|--|
| <b>more controller and displays</b>       |                   |                                                                        |                     |               |                 |                      |              |  |
| <b>MORNINGSTAR PWM charge controller</b>  |                   |                                                                        |                     |               |                 |                      |              |  |
| 663007001                                 | SG-4              | Sun Guard, 12V, 4,5A, 75W, with connection wire                        | 120x83x68 mm        | 0,20 kg       | 0,40 kg         | 85419000             | 52,10        |  |
| 663011001                                 | SS-6L-12V         | Sun Saver 6, 12V, 6,5A, 110W                                           | 181x67x41 mm        | 0,30 kg       | 0,40 kg         | 85419000             | 77,23        |  |
| 663017001                                 | SS-10L-12V        | Sun Saver 10, 12V, 10A, 165W                                           | 181x67x41 mm        | 0,30 kg       | 0,40 kg         | 85419000             | 102,44       |  |
| 663033001                                 | SS-20L-12V        | Sun Saver 20, 12V, 20A, 330W                                           | 181x67x41 mm        | 0,30 kg       | 0,40 kg         | 85419000             | 139,50       |  |
| 663017002                                 | SS-10L-24V        | SunSaver 10, 24V, 10A, 330W                                            | 181x67x41 mm        | 0,30kg        | 0,40 kg         | 85419000             | 116,72       |  |
| 663033003                                 | SS-20L-24V        | SunSaver 20, 24V, 20A, 660W                                            | 181x67x41 mm        | 0,30kg        | 0,40 kg         | 85419000             | 154,62       |  |
| 663042002                                 | SSD-25 Basic      | Sun Saver Duo, 12V, 25A, 425W, 2 battery circuits, without display     | 193x63x50 mm        | 0,50 kg       | 0,70 kg         | 85419000             | 144,54       |  |
| 663042001                                 | SSD-25RM          | Sun Saver Duo, 12V, 25A, 425W, 2 battery circuits, with remote display | 285x225x50 mm       | 1,00 kg       | 1,50 kg         | 85419000             | 242,02       |  |
| 663018001                                 | EP-10             | EcoPulse 10, 12/24V, 10A                                               | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 100,00       |  |
| 663018002                                 | EP-10M            | EcoPulse 10, 12/24V, 10A, with LCD Display                             | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 135,29       |  |
| 663036001                                 | EP-20             | EcoPulse 20, 12/24V, 20A                                               | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 106,72       |  |
| 663036002                                 | EP-20M            | EcoPulse 20, 12/24V, 20A, with LCD Display                             | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 173,11       |  |
| 663054001                                 | EP-30             | EcoPulse 30, 12/24V, 30A                                               | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 144,54       |  |
| 663054002                                 | EP-30M            | EcoPulse 30, 12/24V, 30A, with LCD Display                             | 153x105x55 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 209,24       |  |
| 663025003                                 | PS-15             | ProStar 15, 12/24V, 15A                                                | 186x114x71 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 154,62       |  |
| 663025004                                 | PS-15M            | ProStar 15, 12/24V, 15A, incl. LCD Display                             | 186x114x71 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 229,41       |  |
| 663050003                                 | PS-30             | ProStar 30, 12/24V, 30A                                                | 186x114x71 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 200,84       |  |
| 663050004                                 | PS-30M            | ProStar 30, 12/24V, 30A, incl. LCD Display                             | 186x114x71 mm       | 0,40 kg       | 0,60 kg         | 85419000             | 288,24       |  |
| 663074001                                 | TS-45             | Tri Star 45, 12-48V, 45A, 740W                                         | 318x191x89 mm       | 2,00 kg       | 2,30 kg         | 85419000             | 257,14       |  |
| 663099001                                 | TS-60             | Tri Star 60, 12-48V, 60A, 990W                                         | 318x191x89 mm       | 2,00 kg       | 2,30 kg         | 85419000             | 344,54       |  |
| <b>MORNINGSTAR MPPT charge controller</b> |                   |                                                                        |                     |               |                 |                      |              |  |
| 663020001                                 | SS-MPPT-15L       | Sun Saver MPPT, 12/24V, 15A,                                           | 169x64x73 mm        | 0,60 kg       | 0,80 kg         | 85419000             | 363,87       |  |
| 663028001                                 | EB MPPT 20        | EcoBoost MPPT 20, 12/24V, 20A                                          | 196x173x71 mm       | 1,40 kg       | 1,80 kg         | 85419000             | 195,80       |  |
| 663028002                                 | EB MPPT 20M       | EcoBoost MPPT 20, 12/24V, 20A, with LCD display                        | 196x173x71 mm       | 1,40 kg       | 1,80 kg         | 85419000             | 289,08       |  |
| 663042003                                 | EB MPPT 30        | EcoBoost MPPT 30, 12/24V, 30A                                          | 196x173x71 mm       | 1,40 kg       | 1,80 kg         | 85419000             | 259,66       |  |
| 663042004                                 | EB MPPT 30M       | EcoBoost MPPT 30, 12/24V, 30A, with LCD display                        | 196x173x71 mm       | 1,40 kg       | 1,80 kg         | 85419000             | 392,44       |  |
| 663056001                                 | EB MPPT 40        | EcoBoost MPPT 40, 12/24V, 40A                                          | 196x173x71 mm       | 5,20 kg       | 5,50 kg         | 85419000             | 363,87       |  |
| 663056002                                 | EB MPPT 40M       | EcoBoost MPPT 40, 12/24V, 40A, with LCD display                        | 196x173x71 mm       | 5,20 kg       | 5,50 kg         | 85419000             | 457,98       |  |
| 663035001                                 | PS MPPT 25        | ProStar MPPT 25, 12/24V, 25A                                           | 205x167x65 mm       | 1,40 kg       | 2,00 kg         | 85419000             | 494,12       |  |
| 663035002                                 | PS MPPT 25M       | ProStar MPPT 25, 12/24V, 25A, incl. LCD Display                        | 205x167x65 mm       | 1,40 kg       | 2,00 kg         | 85419000             | 592,44       |  |
| 663060002                                 | PS MPPT 40        | ProStar MPPT 40, 12/24V, 40A                                           | 205x167x65 mm       | 1,40 kg       | 2,00 kg         | 85419000             | 626,05       |  |
| 663060003                                 | PS MPPT 40M       | ProStar MPPT 40, 12/24V, 40A, incl. LCD Display                        | 205x167x65 mm       | 1,40 kg       | 2,00 kg         | 85419000             | 727,73       |  |
| 663040001                                 | TS MPPT 30        | TriStar MPPT 30, 12/24/48V, 30A                                        | 291x130x142 mm      | 5,20 kg       | 5,50 kg         | 85419000             | 560,50       |  |
| 663060001                                 | TS MPPT 45        | TriStar MPPT 45, 12/24/48V, 45A                                        | 291x130x142 mm      | 5,20 kg       | 5,50 kg         | 85419000             | 710,08       |  |
| 663080001                                 | TS MPPT 60        | TriStar MPPT 60, 12/24/48V, 60A                                        | 291x130x142 mm      | 5,20 kg       | 5,50 kg         | 85419000             | 861,34       |  |
| <b>MORNINGSTAR Zubehör</b>                |                   |                                                                        |                     |               |                 |                      |              |  |
| 663000003                                 | RTS               | RTS Temperature Sensor                                                 | cable lenght 10m    | 0,10 kg       | 0,10 kg         | 85419000             | 48,66        |  |
| 663000007                                 | MSC               | MSC MeterBus Adapter                                                   |                     | 0,20 kg       | 0,40 kg         | 85419000             | 57,06        |  |
| 663000010                                 | HUB-1             | Hub-1                                                                  |                     | 0,50 kg       | 0,60 kg         | 85419000             | 152,94       |  |
| 663000011                                 | RSC-1             | RSC-1 communications adapter                                           |                     | 0,40 kg       | 0,40 kg         | 85419000             | 87,31        |  |
| 663000004                                 | RD-1              | RD-1 Relay Driver                                                      |                     | 0,60 kg       | 0,80 kg         | 85419000             | 217,65       |  |
| 663000000                                 | UMC-1             | UMC-1 USB Meterbus Adapter                                             |                     | 0,20 kg       | 0,30 kg         | 85419000             | 63,78        |  |
| 663000006                                 | DIN-1             | rail mounting clips DIN-1                                              |                     | 0,01 kg       | 0,01 kg         | 85419000             | 4,12         |  |
| 663000005                                 | RM-1              | remote meter RM-1                                                      |                     | 0,60 kg       | 0,80 kg         | 85419000             | 118,49       |  |
| 663000008                                 | TS-M-2            | digital meter for TriStar and TriStar-MPPT                             |                     | 0,40 kg       | 0,60 kg         | 85419000             | 147,90       |  |
| 663000009                                 | TS-RM-2           | remote meter TS-RM-2                                                   |                     | 1,20 kg       | 1,50 kg         | 85419000             | 182,35       |  |
| 663000001                                 | PS-MPPT-WB        | ProStar MPPT Wire Box                                                  |                     | 1,50 kg       | 1,80 kg         | 85419000             | 69,66        |  |
| 663000002                                 | EMC-1             | Ethernet-MeterBus Converter EMC-1                                      |                     | 0,13 kg       | 0,30 kg         | 85419000             | 231,09       |  |

SolarBen/Solara Fonteinkruid 8 3417RP Montfoort 0622527073 PRIJZEN EX BTW