

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price	
<b>SOLARA® Full Solutions</b>								
<b>POWER PACK</b>								
<b>incl. Solara-modul Power S-Series, charge controller Victron MPPT, module connection cable, ABS mounting brackets, roof grommet, adhesive</b>								
651125101	Power Pack 01	incl. Solara module S555M36, 125Watt, controller MPPT 15A with Bluetooth	1250x550x35 mm	10,50 kg	14,50 kg	85414090	822,69	
651160109	Power Pack 02	incl. Solara module S705M44, 160Watt, controller MPPT 15A with Bluetooth	1500x550x35 mm	14,00 kg	17,00 kg	85414090	948,74	
651250101	Power Pack 03	incl. 2x Solara module S555M36, 250Watt, controller MPPT 20A with Bluetooth	1250x550x35 mm	19,75 kg	23,93 kg	85414090	1511,76	
651320103	Power Pack 04	incl. 2x Solara module S705M44, 320Watt, controller MPPT 30A with Bluetooth	1500x550x35 mm	26,20 kg	30,20 kg	85414090	1763,87	

<b>PREMIUM PACK</b>								
<b>incl. Solara S-Series module, Votronic charge controller DuoDigital, EBL-connection cable, module connection cable, ABS mounting brackets, roof grommet, adhesive</b>								
651120104	Premium Pack 01	incl. Solara module S480M45, 120W, controller DuoDig. 330	1250x550x35 mm	9,80 kg	12,80 kg	85414090	452,94	
651190101	Premium Pack 02	incl. Solara module S760M36, 190W, controller DuoDig. 330	1500x680x35 mm	12,90 kg	16,50 kg	85414090	469,75	
651240104	Premium Pack 03	incl. 2x Solara module S480M36, 240W, controller DuoDig. 330	1250x550x35 mm	17,80 kg	22,80 kg	85414090	738,66	
651380101	Premium Pack 04	incl. 2x Solara module S760M36, 380W, controller DuoDig. 530	1500x680x35 mm	23,95 kg	31,90 kg	85414090	822,69	

<b>PROFI PACK</b>								
<b>incl. Solara S-Series module, Solara charge controller SR340E, module connection cable, ABS mounting brackets, roof grommet, adhesive</b>								
651120105	Profi Pack 01	incl. Solara module S480M45, 120W, controller 20A	1250x550x35 mm	9,80 kg	12,80 kg	85414090	377,31	
651190102	Profi Pack 02	incl. Solara module S760M36, 190W, controller 20A	1500x680x35 mm	12,90 kg	16,50 kg	85414090	410,92	
651240105	Profi Pack 03	incl. 2x Solara module S480M45, 240W, controller 20A	1250x550x35 mm	17,80 kg	22,80 kg	85414090	646,22	

### SOLARA® framed solar modules

<b>POWER S-SERIES</b>								
<b>black frame, black back sheet, black mono crystalline Sunpower solar cells</b>								
611125301	S555M36	Solar module with aluminium frame and Back-contact-cell 125Wp	1250x550x35 mm	6,60 kg	9,60 kg	85414090	587,39	
611160301	S705M44	Solar module with aluminium frame and Back-contact-cell 160Wp	1500x550x35 mm	9,50 kg	12,50 kg	85414090	688,24	

<b>VISION S-SERIES</b>								
<b>silver frame, very robust and walkable due to glass/glass construction</b>								
61V110101	S450M42 Vision	Solar module with aluminium frame 110Wp	1250x550x35 mm	9,40 kg	13,20 kg	85414090	352,10	
61V190101	S770M36 Vision	Solar module with aluminium frame 190Wp	1500x680x35 mm	15,0 kg	19,70 kg	85414090	436,13	
61V190101	S770M36 Vision	amounts 50+						

<b>S-SERIES</b>								
<b>silver frame, 36 solar cells, the standard solar module</b>								
611095101	S380M36	Solar module with aluminium frame 95Wp	1500x350x35 mm	7,90 kg	10,10 kg	85414090	352,10	
611120101	S480M45	Solar module with aluminium frame 120Wp	1250x550x35 mm	6,60 kg	9,60 kg	85414090	293,28	
611190101	S760M36	Solar module with aluminium frame 190Wp	1500x680x35 mm	9,50 kg	13,00 kg	85414090	360,50	

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price	
<b>SOLARA® semi flexible solar modules</b>								
<b>POWER M-SERIES</b>								
<b>semi-flexible, no glass, based on aluminium-sandwich-plate, black back sheet, black mono crystalline Sunpower solar cells</b>								
618115307	S515M31	Marine grade solar module, flexible 115Wp	1120x545x4 mm	3,60 kg	4,60 kg	85414090	696,64	
618115308	S515M31/S	same as above, cable outlet on backside	1120x545x4 mm	3,60 kg	4,60 kg	85414090	696,64	
618125301	S555M34	Marine grade solar module, flexible 120Wp	990x660x4 mm	4,20 kg	6,30 kg	85414090	772,27	
618125302	S555M34/S	same as above, cable outlet on backside	990x660x4 mm	4,20 kg	6,30 kg	85414090	772,27	
618130301	S575M35	Marine grade solar module, flexible 130Wp	1250x545x4 mm	4,40 kg	6,40 kg	85414090	780,67	
618130302	S575M35/S	same as above, cable outlet on backside	1250x545x4 mm	4,40 kg	6,40 kg	85414090	780,67	
618160301	S705M43	Marine grade solar module, flexible 160Wp	1510x545x4 mm	5,20 kg	7,60 kg	85414090	898,32	
618160302	S705M43/S	same as above, cable outlet on backside	1510x545x4 mm	5,20 kg	7,60 kg	85414090	898,32	
638000008	SM/Zellschutz	Cell protector for M-Series modules, spare part	88x35x25 mm	0,05 kg	0,05 kg	85415000	21,76	

### M-SERIES

#### semi-flexible, no glass, based on aluminium-sandwich-plate, mono crystalline solar cells

618015101	S50M36	Marine grade solar module, flexible, walkable 15Watt	431x243x4 mm	0,70 kg	1,90 kg	85414090	251,26	
618035101	S140M42	Marine grade solar module, flexible, walkable 35Watt	464x481x4 mm	1,50 kg	2,70 kg	85414090	335,29	
618050106	S200M43	Marine grade solar module, flexible, walkable 50Watt	654x481x4 mm	2,00 kg	3,20 kg	85414090	410,92	
618070101	S280M43	Marine grade solar module, flexible, walkable 70Watt	844x481x4 mm	2,60 kg	3,80 kg	85414090	536,97	
618100101	S400M41	Marine grade solar module, flexible, walkable 100Watt	798x695x4 mm	3,50 kg	4,70 kg	85414090	663,03	
638000008	SM/Zellschutz	Cell protector for M-Series modules, spare part	88x35x25 mm	0,05 kg	0,05 kg	85415000	21,76	

### POWER MOBIL

#### textile bordure, foldable, semi-flexible, with Backcontact solar cells, module detachable (type Power Mobile plus)

618120307	S525M32 mobil	portable solar module, design like M-Series, 120Wp, foldable	1342x628x6 mm	5,50 kg	7,60 kg	85414090	721,85	
618120308	Set-Power Mobil	S485M32 mobile, 120W, incl. cable charge controller Fox-062	1342x628x6 mm	6,00 kg	8,60 kg	85414090	755,46	

#### Accessories for Power-Mobil module

668010001	FOX-062	Cable regulator 6A, up to 110Wp, 12V	xxx	0,08 kg	0,50 kg	90328900	63,78	
649000008	DC-Connect-V	Extension cable 5m, 2x1,5qmm, with SureSeal plug	xxx	1,20 kg	1,20 kg	85444290	38,57	
various	Isolating blinds	windshield blinds for S485M32 and VW T5/T6, Ducato, Sprinter, Vito	1775x1020x16 mm	5,50 kg	7,60 kg		251,26	
651000011	Binder-Connection-Set	Connectionset with Binder-plug, -socket incl. lid	xxx	0,04 kg	0,04 kg	85369010	33,53	
651000013	Binder-DD-Set	Grommet with Binder-plug, -socket incl. lid	xxx	0,06 kg	0,06 kg	85369010	33,53	
651000012	Eyelet-Set	10 pcs eyelets and hole punch	xxx	0,07 kg	0,07 kg	39269097	16,72	
649000000	Lxxx- button set	5 pcs for textile bordure on S485M32	xxx	0,05 kg	0,05 kg	83021000	25,13	
651000015	Magnet set Metal	Magnet set for metallic surfaces, rubberized magnet to hang up mobile modules	set with 2 magnets	0,09 kg	0,20 kg		21,76	
651000016	Magnet set Canvas	Magnet set for canvas, two-piece set, rubberized magnet and counterplate	2 magnets 2 plates	0,15 kg	0,25 kg		25,13	

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price	
<b>SOLARA® mounting solutions</b>								
<b>SOLARA grommets and deck seals</b>								
639000401	DD1/W	Roof grommet with one inlet, incl. PG-gland	120x75x40 mm	0,05 kg	0,05 kg	39269092	15,88	
639000401	DD1/W	amounts 200+				39269092	15,88	
639000402	DD2/W	Roof grommet with two inlets, incl. PG-gland	120x117x40 mm	0,10 kg	0,10 kg	39269092	17,56	
639000402	DD2/W 10er	amounts 200+				39269092	17,56	
639000440	DD1/black	Roof grommet with one inlet, incl. PG-gland, black	112x80x35 mm	0,04 kg	0,06 kg	39269092	15,88	
639000440	DD1/black 10er	amounts 200+				39269092	15,88	
639000436	DD2/black	Roof grommet with two inlets, incl. PG-gland, black	120x117x40 mm	0,10 kg	0,10 kg	39269092	17,56	
639000436	DD2/black 10er	amounts 200+				39269092	17,56	
639000441	Scanstrut DS-H10	Scanstrut DS-H10 deck seal with one inlet, 6-10mm cable diameter	77,5x44,5x27 mm	0,05 kg	0,20 kg	39269097	25,97	
639000459	Scanstrut DS-H6	Scanstrut DS-H6 deck seal with one inlet, 2-6mm cable diameter	46x28,5x20 mm	0,05 kg	0,15 kg	39269097	17,56	
639000460	Scanstrut DS-Multi	Scanstrut DS-Multi, deck seal for var. Cable up to 15mm cable diameter	99x47,5x17 mm	0,10 kg	0,30 kg	39269097	63,78	
<b>SOLARA mounting brackets, ABS plastics, color white</b>								
639000403	HS35/W	Spoiler, length 35cm, set with 2 pieces	400x130x60 mm	0,70 kg	0,90 kg	39269092	45,29	
639000404	HS45/W	Spoiler, length 45cm, set with 2 pieces	500x130x60 mm	0,90 kg	1,00 kg	39269092	50,34	
639000405	HS55/W	Spoiler, length 55cm, set with 2 pieces	600x130x60 mm	1,00 kg	1,20 kg	39269092	52,86	
639000406	HS68/W	Spoiler, length 68cm, set with 2 pieces	720x130x60 mm	1,20 kg	1,50 kg	39269092	58,74	
639000407	HSE/W	Edge mounting bracket, set with 4 pieces	190x190x60 mm	1,10 kg	1,30 kg	39269092	52,02	
639000408	HSV/W	Connecting profile, length 25cm, set with 2 pieces	300x130x50 mm	0,50 kg	0,70 kg	39269092	33,53	
<b>SOLARA mounting brackets aluminium</b>								
639000502	HSP	4 aluminium brackets, incl. screws	150x120x75 mm	1,00 kg	1,50 kg	76109090	33,53	
639000503	*HSP400	6 aluminium brackets, incl. screws	150x120x75 mm	1,50 kg	2,00 kg	76109090	46,13	
<b>SOLARA adhesive sets</b>								
639000607	FixPack	Adhesive set for ABS mounting brackets	240x120x50 mm	0,70 kg	0,70 kg	32141010	46,97	
639000608	FixPack/cartridge	Adhesive 290ml from FixPack, cartridge only	290ml	0,50 kg	0,50 kg	32141010	24,29	
639000611	FixPack black	Adhesive set for ABS mounting brackets	240x120x50 mm	0,70 kg	0,70 kg	32141010	46,97	
639000612	FixPack/cartridge bk	Adhesive 290ml from FixPack, cartridge only, black	290ml	0,50 kg	0,50 kg	32141010	24,29	
<b>SOLARA connection cables</b>								
649000028	DC-Connect-C 2,5/5	DC-Connect-C module connection cable 2,5qmm / 5m / MC4	5,0 m	1,20 kg	1,20 kg	85444290	29,33	
649000052	DC-Connect-C 2,5/10	DC-Connect-C module connection cable 2,5qmm / 10m / MC4	10,0 m	2,00 kg	2,00 kg	85444290	38,57	
649000028A	DC-Connect-C 4/5	DC-Connect-C module connection cable 4qmm / 5m / MC4	5,0 m	1,30 kg	1,30 kg	85444290	33,53	
649000029A	DC-Connect-C 4/10	DC-Connect-C module connection cable 4qmm / 10m / MC4	10,0 m	2,30 kg	2,30 kg	85444290	41,93	
649000020	DC-Connect-B	DC-Connect-B battery connection cable 6qmm / 1,5m	1,5 m	0,70 kg	0,70 kg	85444290	27,65	
651000006	DC-Connect-M-Set	DC-Connect-M 2x module interconnection cable 4qmm / 2m / MC4	2 m	0,70 kg	0,70 kg	85444290	17,56	
651000005	MC4 Y-Set	MC4 Y-Adapterset to connect two modules parallel, Plus+Minus	xxx	0,05 kg	0,05 kg	85366990	15,04	
412500401	PV-Stick Set	MC4 connector set (Plus & Minus), Weidmüller toolfree	xxx	0,05 kg	0,05 kg	85366990	8,32	

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price
<b>SOLARA® charge controller</b>							
<b>SOLARA</b>							
66P034004	SR340E	12/24V, 20A, 340W, LED indicators	100x61x20 mm	0,16 kg	0,20 kg	90328900	55,38
66P006001	SR 60 UL	12V, 4A, 60Wp, LED (identical CM04-2.1)	57x71x27 mm	0,15 kg	0,25 kg	90328900	28,49
66P009001	SR 85 TL	12/24V, 5A, 90Wp, LVD, LED indicators	98x64x30 mm	0,20 kg	0,30 kg	90328900	36,89
66P018001	SR 175 TL	12/24V, 10A, 180Wp, LVD, LED indicators	98x64x30 mm	0,20 kg	0,30 kg	90328900	53,70
66P018002	SR180LCD	12/24V, 10A, 180Wp, LVD, LCD display	101x103x32 mm	0,17 kg	0,30 kg	90328900	75,55
66P035002	SR350LCD	12/24V, 20A, 360Wp, LVD, LCD display	101x103x32 mm	0,17 kg	0,30 kg	90328900	113,45
66P035003	SR350LCD DUO	12/24V, 20A, 360Wp, 2 battery circuits, LCD display	101x103x32 mm	0,17 kg	0,30 kg	90328900	138,66

### more controller and displays

<b>VOTRONIC</b>							
669014002	SR 140 Duo Dig	12V, 9A, 140W, LED indicator	131x40x70 mm	0,15 kg	0,20 kg	90328900	75,21
669022002	SR 220 Duo Dig	12V, 14A, 220W, LED indicator	131x40x70 mm	0,16 kg	0,21 kg	90328900	85,63
669033001	SR 330 Duo Dig	12V, 21A, 330W, LED indicator	131x40x70 mm	0,17 kg	0,22 kg	90328900	102,44
669053001	SR 530 Duo Dig	12V, 33A, 530A, LED indicator	131x40x70 mm	0,17 kg	0,22 kg	90328900	147,82
669016001	MPP 165 Duo Dig.	12V, 10A, 165W, MPPT charge regulation	131x40x70 mm	0,19 kg	0,24 kg	90328900	110,76
669025001	MPP 250 Duo Dig.	12V, 15A, 250W, MPPT charge regulation	131x40x70 mm	0,21 kg	0,26 kg	90328900	150,59
669035001	MPP 350 Duo Dig.	12V, 21A, 350W, MPPT charge regulation	131x40x70 mm	0,21 kg	0,26 kg	90328900	192,61
669043002	MPP 430 Duo Dig.	12V, 26A, 430W, MPPT charge regulation	131x40x70 mm	0,26 kg	0,31 kg	90328900	235,21
669000009	LCD Solar-Computer S	Votronic LCD Solar-Computer S	80x85x25 mm	0,55 kg	0,70 kg	90303900	92,02
669000010	EBL adapter cabel	Votronic EBL-adapter cable	xxx	0,01 kg	0,01 kg	85444290	13,70
669000011	Temp. Sensor 825	Votronic temperature sensor 825, 2m connection wire	2m	0,01 kg	0,01 kg	90251920	19,24
669000012	BT Connector S-BC	Bluetooth Connector S-BS inkl. Energy Monitor App	75x47x24 mm	0,04 kg	0,04 kg	90303100	127,65

### SCHAUDT

669030001	LR1218	12V, 18A, for EBL connection	110x75x56 mm	0,15 kg	0,30 kg	85389091	100,00
669000000	LT320	LT320 solar controlldisplay	106x110x35 mm	0,15 kg	0,30 kg	85312020	116,81
649000007	EBL adapter cable	Connection cable for EBL-Bloc	xxx	0,05 kg	0,05 kg	85444290	5,80

### VICTRON MPPT & PWM Laderegler und Anzeigen

669014001	MPPT 75/10 Smart	12/24V, 10A, 145W, with Bluetooth	100x113x40 mm	0,50 kg	0,60 kg	85044055	117,00
669020004	MPPT 75/15 Smart	12/24V, 15A, 220W, with Bluetooth	100x113x40 mm	0,50 kg	0,60 kg	85044055	126,00
669022001	MPPT 100/15 Smart	12/24V, 15A, 220W, with Bluetooth	100x113x47 mm	0,60 kg	0,70 kg	85044055	147,00
669029002	MPPT 100/20 Smart	12/24V/48V, 20A, 290W, with Bluetooth	100x113x50 mm	0,65 kg	0,80 kg	85044055	168,00
669044002	MPPT 100/30 Smart	12/24V, 30A, 440W, with Bluetooth	130x186x70 mm	1,30 kg	2,00 kg	85044055	242,00
669070003	MPPT 100/50 Smart	12/24V, 50A, 700W, with Bluetooth	130x186x70 mm	1,30 kg	2,00 kg	85044055	347,00
669050003	MPPT 150/35 Smart	12/24V, 35A, with Bluetooth	130x186x70 mm	1,30 kg	2,00 kg	85044055	347,00
669065005	MPPT 150/45 Smart	12/24V, 45A, with Bluetooth	130x186x70 mm	1,30 kg	2,00 kg	85044055	410,00
669086004	MPPT 150/60 Smart	12/24V, 60A, with Bluetooth	200x250x95 mm	3,00 kg	4,50 kg	85044055	578,00
669010003	PWM Light 12/24V-20	12/24V, 20A	70x113x34 mm	0,15 kg	0,50 kg	85044055	40,00
669000001	BMV-700	Remote display, incl. shunt 500A/50mV	69x69x31 mm	0,30 kg	0,50 kg	85371098	146,00
669000004	BMV-702	Remote display incl. Shunt 500A/50mV	65x65x30 mm	0,30 kg	0,50 kg	85371098	182,00
669000008	BMV-712 Smart	Remote display, incl. shunt 500A/50mV and Bluetooth	69x69x31 mm	0,30 kg	0,30 kg	85371098	210,00

RRP price according to Victron pricelist and may vary quarterly, date Q4/2021

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price
<b>more controller and displays</b>							
<b>MORNINGSTAR PWM-Laderegler</b>							
663007001	SG-4	Sun Guard, 12V, 4,5A, 75W, with connection wire	120x83x68 mm	0,20 kg	0,40 kg	85419000	46,97
663011001	SS-6L-12V	Sun Saver 6, 12V, 6,5A, 110W	181x67x41 mm	0,30 kg	0,40 kg	85419000	77,23
663017001	SS-10L-12V	Sun Saver 10, 12V, 10A, 165W	181x67x41 mm	0,30 kg	0,40 kg	85419000	91,60
663033001	SS-20L-12V	Sun Saver 20, 12V, 20A, 330W	181x67x41 mm	0,30 kg	0,40 kg	85419000	125,21
663017002	SS-10L-24V	SunSaver 10, 24V, 10A, 330W	181x67x41 mm	0,30kg	0,40 kg	85419000	105,04
663033003	SS-20L-24V	SunSaver 20, 24V, 20A, 660W	181x67x41 mm	0,30kg	0,40 kg	85419000	138,66
663042002	SSD-25 Basic	Sun Saver Duo, 12V, 25A, 425W, 2 battery circuits, without display	193x63x50 mm	0,50 kg	0,70 kg	85419000	130,25
663042001	SSD-25RM	Sun Saver Duo, 12V, 25A, 425W, 2 battery circuits, with remote display	285x225x50 mm	1,00 kg	1,50 kg	85419000	217,65
663018001	EP-10	EcoPulse 10, 12/24V, 10A	153x105x55 mm	0,40 kg	0,60 kg	85419000	88,24
663018002	EP-10M	EcoPulse 10, 12/24V, 10A, mit LCD Display	153x105x55 mm	0,40 kg	0,60 kg	85419000	121,85
663036001	EP-20	EcoPulse 20, 12/24V, 200A	153x105x55 mm	0,40 kg	0,60 kg	85419000	96,64
663036002	EP-20M	EcoPulse 20, 12/24V, 20A, mit LCD Display	153x105x55 mm	0,40 kg	0,60 kg	85419000	155,46
663054001	EP-30	EcoPulse 30, 12/24V, 30A	153x105x55 mm	0,40 kg	0,60 kg	85419000	130,25
663054002	EP-30M	EcoPulse 30, 12/24V, 30A, mit LCD Display	153x105x55 mm	0,40 kg	0,60 kg	85419000	189,08
663025003	PS-15	ProStar 15, 12/24V, 15A	186x114x71 mm	0,40 kg	0,60 kg	85419000	138,66
663025004	PS-15M	ProStar 15, 12/24V, 15A, incl. LCD Display	186x114x71 mm	0,40 kg	0,60 kg	85419000	205,88
663050003	PS-30	ProStar 30, 12/24V, 30A	186x114x71 mm	0,40 kg	0,60 kg	85419000	180,67
663050004	PS-30M	ProStar 30, 12/24V, 30A, incl. LCD Display	186x114x71 mm	0,40 kg	0,60 kg	85419000	259,66
663074001	TS-45	Tri Star 45, 12-48V, 45A, 740W	318x191x89 mm	2,00 kg	2,30 kg	85419000	231,09
663099001	TS-60	Tri Star 60, 12-48V, 60A, 990W	318x191x89 mm	2,00 kg	2,30 kg	85419000	310,08
<b>MORNINGSTAR MPPT-Laderegler</b>							
663020001	SS-MPPT-15L	Sun Saver MPPT, 12/24V, 15A,	169x64x73 mm	0,60 kg	0,80 kg	85419000	326,89
663028001	EB MPPT 20	EcoBoost MPPT 20, 12/24V, 20A	196x173x71 mm	1,40 kg	1,80 kg	85419000	175,63
663028002	EB MPPT 20M	EcoBoost MPPT 20, 12/24V, 20A, with LCD display	196x173x71 mm	1,40 kg	1,80 kg	85419000	259,66
663042003	EB MPPT 30	EcoBoost MPPT 30, 12/24V, 30A	196x173x71 mm	1,40 kg	1,80 kg	85419000	259,66
663042004	EB MPPT 30M	EcoBoost MPPT 30, 12/24V, 30A, with LCD display	196x173x71 mm	1,40 kg	1,80 kg	85419000	352,10
663056001	EB MPPT 40	EcoBoost MPPT 40, 12/24V, 40A	196x173x71 mm	5,20 kg	5,50 kg	85419000	326,89
663056002	EB MPPT 40M	EcoBoost MPPT 40, 12/24V, 40A, with LCD display	196x173x71 mm	5,20 kg	5,50 kg	85419000	410,92
663035001	PS MPPT 25	ProStar MPPT 25, 12/24V, 25A	205x167x65 mm	1,40 kg	2,00 kg	85419000	441,18
663035002	PS MPPT 25M	ProStar MPPT 25, 12/24V, 25A, incl. LCD Display	205x167x65 mm	1,40 kg	2,00 kg	85419000	528,57
663060002	PS MPPT 40	ProStar MPPT 40, 12/24V, 40A	205x167x65 mm	1,40 kg	2,00 kg	85419000	562,18
663060003	PS MPPT 40M	ProStar MPPT 40, 12/24V, 40A, incl. LCD Display	205x167x65 mm	1,40 kg	2,00 kg	85419000	654,62
663040001	TS MPPT 30	TriStar MPPT 30, 12/24/48V, 30A	291x130x142 mm	5,20 kg	5,50 kg	85419000	503,36
663060001	TS MPPT 45	TriStar MPPT 45, 12/24/48V, 45A	291x130x142 mm	5,20 kg	5,50 kg	85419000	637,82
663080001	TS MPPT 60	TriStar MPPT 60, 12/24/48V, 60A	291x130x142 mm	5,20 kg	5,50 kg	85419000	772,27

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price	
<b>DCsolar Full solutions</b>								
<b>Power Set</b>								
651120301	Power Set 1	incl. 1x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	10,60 kg	12,60 kg	85414090	427,73	
651240301	Power Set 1/240W	incl. 2x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	19,90 kg	24,30 kg	85414090	755,46	
<b>Power Set/EBL</b>								
651120302	Power Set 2	incl. 1x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	10,90 kg	12,90 kg	85414090	494,96	
651240302	Power Set 2/240W	incl. 2x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	20,60 kg	24,60 kg	85414090	814,29	
<b>Power Set/MPPT</b>								
651120303	Power Set 3	incl. 1x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	11,40 kg	14,50 kg	85414090	553,78	
651240303	Power Set 3/240W	incl. 2x DCsolar module E480M32 with Sunpower cell 120W	1037x527x35 mm	20,60 kg	24,60 kg	85414090	873,11	
<b>EcoLux Set</b>								
651110137	EcoLux 110W	incl. 1x DCsolar module E440M42, 110W, mono cell	1165x550x35 mm	10,44 kg	12,80 kg	85414090	335,29	
651220120	EcoLux 220W	incl. 2x DCsolar module E440M42, 110W, mono cell	1165x550x35 mm	18,90 kg	23,50 kg	85414090	536,97	
651190119	EcoLux 190W	mit 1x DCsolar Modul E760M36, 190W, Monozelle, Victron MPPT 100/30	1500x796x35 mm	14,50 kg	17,00 kg	85414090	503,36	
651380109	EcoLux 380W	mit 2x DCsolar Modul E760M36, 380W, Monozelle, Victron MPPT 100/30	1500x796x35 mm	28,00 kg	33,90 kg	85414090	915,13	
651190120	EcoLux 190W/24V	mit 1x DCsolar Modul E760M36/24V, 190W, Monozelle, Victron MPPT 100/30	1500x796x35 mm	14,50 kg	17,00 kg	85414090	503,36	
651380110	EcoLux 380W/24V	mit 2x DCsolar Modul E760M36/24V, 380W, Monozelle, Victron MPPT 100/30	1500x796x35 mm	28,00 kg	33,90 kg	85414090	915,13	
<b>DCsolar Power E-Series</b>								
619170301	E680M48 black	solar module E680M48 black, MC4, 170W, 12V	1082x796x35 mm	11,00 kg	13,00 kg	85414090	402,52	
619120303	E480M32 silver	solar module E480M32 silver, MC4, 120W, 12V	1037x527x35 mm	7,40 kg	9,40 kg	85414090	276,47	
619120304	E480M32 black	solar module E480M32 black, MC4, 120W, 12V	1037x527x35 mm	7,40 kg	9,40 kg	85414090	276,47	
619110314	E440M30 black	solar module E440M30 black, MC4, 110W, 12V	1302x416x35 mm	7,00 kg	9,40 kg	85414090	268,07	
619080301	E320M64 black	solar module E320M64 black, MC4, 80W, 12V	734x535x35 mm	5,80 kg	6,90 kg	85414090	234,45	
<b>DCsolar EcoLux Series</b>								
619190301	E760M36	solar module E760M36 EcoLux, MC4, 190Watt, 12V	1500x680x35 mm	10,50 kg	13,50 kg	85414090	276,47	
619190304	E760M72	solar module E760M72 EcoLux, MC4, 190Watt, 24V, 72 cells	1500x680x35 mm	10,50 kg	13,50 kg	85414090	276,47	
619110101	E440M42	solar module E440M42 EcoLux, MC4, 110Watt, 12V	1165x550x35 mm	7,40 kg	9,40 kg	85414090	167,23	
619070302	E280M40	solar module E280M40 EcoLux, MC4, 70Watt, 12V	630x660x35 mm	5,00 kg	7,00 kg	85414090	125,21	
<b>DCsolar Power Move</b>								
651110109	E445M32 Move	portable solar module, 110W, foldable	1650x630x35 mm	4,10 kg	4,90 kg	85414090	394,12	
651110108	Set-Power Move	solar module E445M32 Move, incl. cable regulator Fox-062	1650x630x35 mm	4,10 kg	4,90 kg	85414090	419,33	
<b>DCsolar Power flex</b>								
619110315	E485M31 Flex	Solarmodul E485M31 flex, 110Watt, semi-flexible	1100x540x4 mm	4,10 kg	5,30 kg	85414090	385,71	
<b>DCsolar OBD-2 Solar-trickle-charger</b>								
<b>mit OBDII-Stecker, klein, leicht, integrierter Regler, 1,5m Kabel, anschlussfertig</b>								
619013301	E52M8	Solarmodul OBD-2 trickle charger E52M8, 13Wp, 12V	350x252x4 mm	0,60 kg	1,20 kg	85414090	67,14	

## SolarBen-Solara Prijslijst 2022 per 1-7-2022

Article No.:	Manufacturer No.:		Dimensions LxWxH	Net Weight	Gross Weight	Custom tariff number	Net Price	
<b>DCsolar mounting solutions</b>								
639000470	AS527/black	Aluminium-Spoiler set, 52,7cm lenght, Set with 2 pcs., black anodized	527x70x95 mm	1,32 kg	2,00 kg	76042100	50,34	
639000468	AS505/black	Aluminium-Spoiler set, 50,5cm lenght, Set with 2 pcs., black anodized	505x70x95 mm	1,26 kg	2,00 kg	76042100	48,66	
639000469	AS505/silver	Aluminium-Spoiler set, 50,5cm lenght, Set with 2 pcs., silver anodized	505x70x95 mm	1,26 kg	2,00 kg	76042100	48,66	
639000472	AS550/black	Aluminium-Spoiler set, 55cm lenght, Set with 2 pcs., black anodized	550x70x95 mm	1,38 kg	2,00 kg	76042100	52,86	
639000473	AS550/silver	Aluminium-Spoiler set, 55cm lenght, Set with 2 pcs., silver anodized	550x70x95 mm	1,38 kg	2,00 kg	76042100	52,86	
639000474	HS680/silver	Aluminium-Spoiler set, 68cm lenght, Set with 2 pcs., silver anodized	680x70x95 mm	1,70 kg	2,30 kg	76042100	58,74	
639000440	DD1/black	Roof grommet with one inlet, incl. PG-gland, black	112x80x35 mm	0,20 kg	0,30 kg	39269097	15,88	
639000436	DD2/black	Roof grommet with two inlets, incl. PG-gland, black	120x110x40 mm	0,20 kg	0,30 kg	39269097	15,88	
639000607	FixPack	Adhesive set for ABS mounting brackets	240x120x50 mm	0,70 kg	0,70 kg	32141010	46,97	
639000611	FixPack black	Adhesive set for ABS mounting brackets, black	240x120x50 mm	0,70 kg	0,70 kg	32141010	46,97	
649000028	DC-Connect-C 2,5/5	DC-Connect-C module connection cable 2,5qmm / 5m / MC4	5,0 m	1,00 kg	1,10 kg	85444290	29,33	
649000052	DC-Connect-C 2,5/10	DC-Connect-C module connection cable 2,5qmm / 10m / MC4	10,0 m	2,00 kg	2,00 kg	85444290	38,57	
649000028A	DC-Connect-C 4/5	DC-Connect-C module connection cable 4qmm / 5m / MC4	5,0 m	1,30 kg	1,30 kg	85444290	33,53	
649000029A	DC-Connect-C 4/10	DC-Connect-C module connection cable 4qmm / 10m / MC4	10,0 m	2,30 kg	2,30 kg	85444290	41,93	
649000020	DC-Connect-B	DC-Connect-B battery connection cable 6qmm / 1,5m	1,5 m	0,24 kg	0,24 kg	85444290	27,65	
651000006	DC-Connect-M-Set	DC-Connect-M 2x module interconnection cable 4qmm / 2m / MC4	2 m	0,20 kg	0,20 kg	85444290	17,56	
651000005	MC4 Y-Set	MC4 Y-Adapterset to connect two modules parallel, Plus+Minus	xxx	0,10 kg	0,05 kg	85366990	15,04	
<b>Charge controller selection (all controller see page 4)</b>								
<b>SOLARA</b>								
66P034004	SR340E	12/24V, 20A, 340W, LED indicators	100x61x20 mm	0,16 kg	0,20 kg	90328900	55,38	
<b>SCHAUDT</b>								
669030001	LR1218	LR 12/18, for EBL connection EBL, 12V, Imax:18A	110x75x56 mm	0,15 kg	0,30 kg	85389091	100,00	
669020004	Smart MPPT 75/15	12/24V, 15A, 220W, with Bluetooth	100x113x40 mm	0,50 kg	0,60 kg	85044055	120,00	
669044002	Smart MPPT 100/30	12/24V, 15A, 440W, with Bluetooth	130x186x70 mm	1,30 kg	2,00 kg	85044055	230,00	

**Terms and Conditions**

All prices are to be understood in EUR. All prices are ex warehouse Solara, plus and ex costs for freight, packing and handling.

SolarBen Solara Fonteinkruis 8 3417RP Montfoort 0622527073--0348-763701